
















## Vacuum steam generators with suction and foam system

**NEW**



### IVP 4.1 VAC Foam

#### Standard equipment:

• 5.211.0123	
• 3.753.0141	
• 3.754.0278	
• 3.754.0005	
• 6.402.0106	
• 6.402.0113	
• 6.405.0245	
• 3.754.0194	
• 3.754.0215	
• 3.754.0196	
• 3.754.0197	
• 3.754.0204	
• 3.754.0260	
• 3.754.0271	
• 5.212.0178	
• 4.408.0454 - Sponge accessory	
• 3.697.0072 1l. LC prefoam	

### IVP 4.1 VAC Foam

- Stainless steel body AISI 304
- Ready steam warning lamp
- Boiler 3kW S/S AISI 304 - Thickness 25/10
- Low level water lamp indicator
- Boiler is refilled continuously
- Switch for using chemicals and detergents mixed with steam
- Device for cleaning hot water mixed with steam
- Washable filter
- Flex hose 4 m
- Recovery tank capacity 64 l
- Drain hose system
- Steam regulation
- Wheels suitable for use in food processing area
- ON/OFF main switch with indicator lamp
- ON/OFF boiler switch with indicator lamp

#### IVP 4.1 Vac Foam

Code	8.451.0208
Absorbed power	3 Kw/230V-Ph1
Max pressure	7 bar
Steam production - max temperature	3,5 Kg/h - 158° C
Water tank/detergent tank	5/5 l.
Vacuum motor	1200 W
Depression	21 kPa/2100 mmH <sub>2</sub> O
Suction air	230 m <sup>3</sup> /h

## Vacuum steam generators with suction and foam system

New simple and intuitive control panel, quick-coupling steam gun, main ON/OFF switch with lamp, boiler ON/OFF switch with lamp, steam/detergent regulator/selector, steam flow rate regulator, steam ready warning lamp, low level water indicator lamp with buzzer, steam pressure gauge. Gun with integrated start-up control, adjustment of the vacuum power and steam function activation key.

Unlimited autonomy thanks to the continuous power supply of the boiler, which enables water top-ups in the tank without having to stop the machine or interrupt work.

Discharge pipe to quickly drain dirty water collected without removing the head. Bypass vacuum motor with cyclone effect. Equipped with 3 pumps: boiler, detergent and water.

Maximum safety thanks to the 2 safety thermostats, 1 pressure switch and 1 mechanical maximum pressure valve.



### Fields of applications

#### Steam system:

Food & beverage (food industry, catering, beverage, winery).

Hospitality, community & healthcare (hospitality, buildings cleaning, spa & sport, education & community, healthcare).

Industry (industry, transportation, car washers, car dealers).

#### Foam system:

Car dealers, car washers, garages, car body shops, and every other place where a source of compressed air is already available